



Tuesday, April 07, 2020

Attn: Ms. Jennifer Atkins  
AECOM  
250 Apollo Drive  
Chelmsford, MA 01824

Project ID: CHELSEA TERMINAL 60597375.0500  
SDG ID: GCF61291  
Sample ID#s: CF61291

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. This report is incomplete unless all pages indicated in the pagination at the bottom of the page are included.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller".

Phyllis Shiller

Laboratory Director

NELAC - #NY11301  
CT Lab Registration #PH-0618  
MA Lab Registration #M-CT007  
ME Lab Registration #CT-007  
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003  
NY Lab Registration #11301  
PA Lab Registration #68-03530  
RI Lab Registration #63  
UT Lab Registration #CT00007  
VT Lab Registration #VT11301



Environmental Laboratories, Inc.  
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
Tel. (860) 645-1102 Fax (860) 645-0823

## Sample Id Cross Reference

April 07, 2020

SDG I.D.: GCF61291

Project ID: CHELSEA TERMINAL 60597375.0500

---

Client Id	Lab Id	Matrix
OUTFALL 003	CF61291	SW DISCHARGE



Environmental Laboratories, Inc.  
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
Tel. (860) 645-1102 Fax (860) 645-0823

## Analysis Report

April 07, 2020

FOR: Attn: Ms. Jennifer Atkins  
AECOM  
250 Apollo Drive  
Chelmsford, MA 01824

### Sample Information

Matrix: SW DISCHARGE  
Location Code: AECOME-GULF  
Rush Request: Standard  
P.O.#:

### Custody Information

Collected by: BM  
Received by: CP  
Analyzed by: see "By" below

### Date

04/03/20  
04/03/20

### Time

11:35  
14:43

## Laboratory Data

SDG ID: GCF61291  
Phoenix ID: CF61291

Project ID: CHELSEA TERMINAL 60597375.0500  
Client ID: OUTFALL 003

Parameter	Result	RL/ PQL	Units	Dilution	Date/Time	By	Reference
Total Suspended Solids	34	5.0	mg/L	1	04/06/20	QH	SM 2540D-11

RL/PQL=Reporting/Practical Quantitation Level ND=Not Detected BRL=Below Reporting Level

### Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200.  
The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

April 07, 2020

Reviewed and Released by: Rashmi Makol, Project Manager



Environmental Laboratories, Inc.  
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
Tel. (860) 645-1102 Fax (860) 645-0823

## QA/QC Report

April 07, 2020

### QA/QC Data

SDG I.D.: GCF61291

Parameter	Blank	Blk RL	Sample Result	Dup Result	Dup RPD	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 525265 (mg/L), QC Sample No: CF61297 (CF61291)													
Total Suspended Solids	BRL	2.5	10	10	NC	97.0						85 - 115	

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference  
LCS - Laboratory Control Sample  
LCSD - Laboratory Control Sample Duplicate  
MS - Matrix Spike  
MS Dup - Matrix Spike Duplicate  
NC - No Criteria  
Intf - Interference

Phyllis Shiller, Laboratory Director  
April 07, 2020

Tuesday, April 07, 2020

Criteria: None  
State: MA

**Sample Criteria Exceedances Report**  
**GCF61291 - AECOME-GULF**

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units
--------	-------	-----------------	----------	--------	----	----------	----------------	-------------------

\*\*\* No Data to Display \*\*\*

Phoenix Laboratories does not assume responsibility for the data contained in this exceedance report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



**Environmental Laboratories, Inc.**  
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045  
Tel. (860) 645-1102 Fax (860) 645-0823



## Analysis Comments

April 07, 2020

SDG I.D.: GCF61291

---

The following analysis comments are made regarding exceptions to criteria not already noted in the Analysis Report or QA/QC Report: None.

